

Freedom of Information Schedule

ROBSON DOCUMENTS

DATE OF REQUEST: 23/7/2020 – FILE REFERENCE NUMBER: [REDACTED]

Document Number	Description	Document Date	Proposed Decision (Full release, Partial release, Non-release)	Reason for Partial release or Non-release
1	Letter from [REDACTED] to P Folkard – Cleaning Procedures for Window Glass with Asbestos Containing Putty	14 May 2014	Partial release	Schedule 2.2(a)(ii)
2	Letter from [REDACTED] to A Dezman – Asbestos analysis and risk assessment of 2 samples collected from the Yarralumla Primary School	27 May 2014	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
3	Letter from [REDACTED] to A Dezman – Site assessment of previously identified asbestos containing materials located in the toilet at Yarralumla Preschool	5 February 2015	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
4	Asbestos Clearance Certificate from [REDACTED]	26 February 2015	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
5	Asbestos Clearance Inspection from [REDACTED]	25 March 2015	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
6	Email - K Connors to J Ebner – Yarralumla Primary Gambarri building	30 March 2015 10:45AM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
7	Asbestos Clearance Inspection and Report from [REDACTED]	13 February 2016	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
8	Asbestos Clearance Inspection and Report from [REDACTED]	14 February 2016	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)

9	Asbestos Clearance Inspection and Report from [REDACTED]	17 September 2016	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
10	Asbestos Clearance Certificate and Report from [REDACTED]	4 January 2017	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
11	Asbestos Clearance Certificate and Report from [REDACTED]	6 January 2017	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
12	Letter from Robson to E Byrne re lead paint analysis – 28 July 2017	28 July 2017	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
13	Email – E Byrne to J Ebner, FW:7335471 Yarralumla Primary Asbestos Report Attachment: 7335471_Yarralumla Primary_MA_20170728	31 July 2017 7:11 AM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
14	Robson letter to ACT Property Group	8 May 2018	Partial release	Schedule 2.2(a)(ii) and outside of scope
15	Asbestos Clearance Certificate and Reports from [REDACTED]	13 May 2018	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
16	Asbestos Clearance Certificate and Report from [REDACTED]	14 May 2018	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
17	Letter and Report from [REDACTED] to E Byrne – Asbestos analysis and Risk Assessment of pipe lagging insulation to hot water pipes located in the wall cavity adjacent to the Staff room in the Gambarri Centre and Montessori Building at Yarralumla Primary School	22 May 2018	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
18	Letter and Report from [REDACTED] to R Husselbee – Analysis of exposed wall sheet and visual assessment of the flooring in the kitchen at Yarralumla Primary School	6 December 2018	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
19	Lead paint Assessment – Yarralumla Primary & Preschool (survey date 23/4/19)	1 May 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)

20	Email - E Byrne to J Ebner; re Yarralumla Primary School	14 May 2019 9:17 AM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
21	Asbestos Survey & Management Plan - Yarralumla Primary and Preschool - April 2019	21 May 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
22	Email - J Ebner to S Malam, J Hall and E Byrne re HAZ 20-001 - Yarralumla PS Lead Paint and ACM Remediation (T01035 Lead Paint Assessment 20190423.pdf attached)	24 May 2019 12:07 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
23	Email - J Ebner to S Hunter; re Yarralumla Primary School - Clearance and Respirable Fibre Results	10 July 2019 2:38 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
24	Email - J Ebner to J Hall, R Evans, re T01035 Yarralumla Primary School Pass Clearance Certificate 20190710	10 July 2019 4:21 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
25	Email - S Hunter to J Ebner, I Wickham, E Byrne re Yarralumla Primary School After School Care	11 July 2019 12:40 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
26	Email - S Hunter to J Mulligan, R Evans, re FW: Yarralumla Primary School After School Care	11 July 2019 1:47 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
27	Asbestos Clearance Certificate Inspection Pass	13 July 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
28	Lead Paint Clearance Certificate of approval	13 July 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
29	Respirable Fibre Estimation Test Report - ACTPG T-01035-20190714-001	14 July 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
30	Email - E Byrne to S Hunter, re T01035 Yarralumla Preschool – Lead in soil testing	17 July 2019 3:40 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)

31	Email - E Byrne to S Hunter, J Ebner, I Wickham, R Schaidreiter; S Saville re T01035 Yarralumla Primary School (with attachment Lead Paint Clearance re Yarralumla Primary School 17 July 2019)	17 July 2019 4:01 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
32	Robson Lead Paint Assessment Yarralumla Primary School & Preschool Certificate of approval	18 July 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
33	Lead Paint Clearance - [REDACTED] to ACTPG re Yarralumla Primary School 13 July 2019	20 July 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
34	E Byrne to S Hunter, J Ebner, I Wickham, G Watson, R Schaidreiter tr T01035 After School Care Yarralumla Primary Lead Clearance 20190720 (with attachment Lead Paint Clearance re Yarralumla Primary School 13 July 2019)	21 July 2019 5:40PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
35	Email - [REDACTED] to E Byrne, [REDACTED], re Yarralumla Primary School - Gambarri Preschool Building and Primary school (north end) with attached Lead Paint Clearance 18 July 2019	22 July 2019 7:32 AM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
36	Email - [REDACTED] to E Byrne, [REDACTED] S Hunter, J Ebner, I Wickham, G Watson; E Byrne to J re Yarralumla Primary School - Gambarri Preschool Building and Primary School (North End)	22 July 2019 8:17 AM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
37	Email - J Ebner to J Hall, S Malam; E Byrne re T-01035 Yarralumla Primary School Asbestos Pass Clearance Certificate s (with attachment	23 July 2019 1:39 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
38	Email - E Byrne to S Hunter, J Ebner, G Watson, I Wickham, R Schaidreiter; [REDACTED] re Yarralumla Primary and Preschool Lead in Soil Testing (with attachment)	23 July 2019 3:12 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
39	Email – E Byrne to J Ebner, S Hunter, re FW: Yarralumla	26 July 2019 9:47 AM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
40	Airborne Lead Monitoring During Lead Paint Remediation - Yarralumla Primary and Preschool 30/11/2019	1 August 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
41	Email - E Byrne to J Ebner re T01035 - Yarralumla Primary and Preschool lead in soil testing - Report dated 6 August 2019	7 August 2019 8:38 AM	Partial release	Schedule 2.2(a)(ii)

42	Lead Paint Clearance - Yarralumla Primary School - & Cleaner's Room 10 & 11 August 2019	18 August 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
43	Email - E Byrne to J Ebner, re FW: T01035 Yarralumla Primary School Canteen/Pantry Lead Paint (with attachment Lead Paint Assessment 22 July 2019)	19 August 2019 7:47 AM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
44	Email - E Byrne to J Ebner, re T01035 Lead Monitoring Yarralumla Primary Preschool 20190804 (with attachment Airborne Lead Monitoring During Lead Paint Remediation July - Aug 2019)	19 August 2019 7:50 AM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
45	Email - E Byrne to J Ebner; re T01035 Yarralumla Primary - Cleaner Room - Lead Clearance 20190811 (with attachment Lead Paint Clearance - 10 & 11 August 2019)	19 August 2019 7:54 AM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
46	Email - E Byrne to J Ebner; FW: T01035 Yarralumla Primary & Preschool – Leaf litter remediation July-August 2019 (with attachment -Lead Paint Clearance - Yarralumla Primary School 21 July 2019 and lead Paint Clearance 3-4 August 2019)	19 August 2019 7:59 AM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
47	Email - E Byrne to J Ebner; re T01035 Yarralumla Primary School - Canteen Pantry Lead Paint 20190722	22 August 2019 2:24 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
48	Lead Paint Clearance - Yarralumla Primary School 18 August 2019	23 August 2109	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
49	Letter/Report - Robson Environmental to E Byrne re T01035 - Lead in Soil Assessment - Yarralumla Gambbarri Centre 24 Loftus Street Yarralumla ACT 2600 (Block 12 Section 82 Yarralumla ACT 2600).	23 August 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
50	Visual Lead Paint Clearance - Yarralumla Primary School - 1 September 2019	1 September 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
51	Visual Lead Paint Clearance - Yarralumla Primary School - 7 September 2019	25 September 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)

52	Airborne Lead Monitoring During Lead Paint Remediation - Yarralumla Primary and Preschool August - September 2019 Letter/Report - Robson Environmental to E Byrne re T01035 - Lead in Soil Assessment - Yarralumla Primary School 24 Loftus Street Yarralumla ACT 2600 (Block 12 Section 82 Yarralumla ACT 2600)	27 September 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
53	Letter/Report - Robson Environmental to E Byrne re T01035 - Lead in Soil Assessment - Yarralumla Primary School 24 Loftus Street Yarralumla ACT 2600 (Block 12 Section 82 Yarralumla ACT 2600).	27 September 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
54	Letter/Report - Robson Environmental to E Byrne re T01035 - Lead in Soil Assessment - Yarralumla Primary School 24 Loftus Street Yarralumla ACT 2600 (Block 12 Section 82 Yarralumla ACT 2600)	18 October 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
55	Email – I Wickham to S Hunter – Yarralumla Primary and Preschool Lead Paint Management Plan T01035_LPMP_Yarralumla_20191125	28 November 2019 10:47AM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
56	Visual Lead Paint Clearance	30 November 2019		
57	Email - A Feehan to I Wickham, re Yarralumla Primary School - Lead Paint Removal Canteen/Pantry with Fibre Identification (with attachment)	2 December 2019 2:07 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
58	Airborne Lead Monitoring During Lead Paint Remediation Yarralumla Primary School November 30, 2019	6 December 2019	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
59	Email - C Flynn to G Watson; re Fwd: T01035 - Yarralumla Primary School Lead Air Monitoring and Potential Dust Contamination (with attached Airborne Lead Monitoring and Potential Lead Dust Contamination Assessment During Window Frame Removal - Yarralumla Primary School – 17 July 2020)	21 July 2020 6:51 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)
60	Email – [REDACTED] to G Watson; re Yarralumla Primary School - Montessori School - Classroom Tracker Location 014	22 July 2020 2:33 PM	Partial release	Schedule 2.2(a)(ii) and 2.2(a)(xi)