

Freedom of Information Request - Schedule

SUBJECT: CO₂ MONITORS

DATE OF REQUEST: 19/7/2022 - FILE REFERENCE: [REDACTED]

SCOPE: *Any document from the period 1/1/20 to 18/7/22 that considers the costs or benefits of installing CO₂ monitors or air-purifiers/ventilation devices into school classrooms*

Record Number	Description	Record Date	Decision (Full release, Partial release, Non-release)	Reason for Decision
1	Email - XXXX to C Martinez - RE: RE: RE: Donation to ACT Government schools	20200131 1533	Partial release	Schedule 2,2.2(a)(ii)
2	Email - A Parkinson to B Sloane, Re: Dyson comment	20200206 1249	Partial release	Schedule 2,2.2(a)(ii)
3	Email - G Falzon - Air Quality Concerns with attachment: A: Letter Response from Minister Berry	20200402 1126	Partial release	Schedule 2,2.2(a)(ii)
4	Centre for Disease Control and Prevention (CDC) - Ventilation in Buildings (Ventilation Guide)	20210602	Full release	

5	Email - B Mitchell to P Yapp and Others - Airflow Research with attachments: A: Energy and Buildings (O. Jay, R. Hoelzl and J. Weets et al.) B: Human Thermal Sensation and Comfort (Hui Zhang - University of California, Berkeley)	20210716 1713	Full release	
6	Email - P Yapp to T Morey - RE: HoS minute - Mitigation of COVID-19 risk in CMTEDD workplaces – building modifications with attachment: A: HVAC Skills Workshop	20210723 1027	Full release	
7	OzSAGE Safe-Indoor-Air-advice	20210906	Full release	
8	Email - B Mitchell to A Parkinson - RE: As requested - detail of Vic plan re ventilation with attachment: A: Indoor Air Quality Plan	20210906 1702	Partial release	Schedule 2,2.2(a)(ii)
9	Email - ICW EBM Office to DGEDU office - FOR URGENT CLEARANCE: FILE2021/4472 BRIEF: with attachments A: Ventilation status of ACT public schools B: Summary of college ventilation	20210910 0848	Partial release	Schedule 2,2.2(a)(ii) Attachments are not released as the finals are provided at Record 11
10	Budget Estimates Brief 03.9. Ventilation in Schools	20210915	Full release	

11	Email - B Mitchell to A Parkinson - Funding requirements included, with attachment: A: Summary of College Ventilation V2	20210922 1207	Full release	
12	Ministerial Brief- Ventilation Status of ACT public schools - COVID-19 attachment provided in Record 11	20210924	Partial release	Schedule 2,2.2(a)(ii)
13	OzSAGE Protecting Children from COVID-19 and making schools and childcare safer	20211001	Full release	
14	Email - A Parkinson to B Mitchell and others - Ventilation talking points	20211005 1151	Full release	
15	Ventilation and air quality Frequently Asked Questions for Staff	20211013	Full release	
16	Email - P Yapp to B Mitchell - College Ventilation Upgrade - Project Plan Draft with attachment: A: Project Plan for College Ventilation Upgrade - Draft V1	20211013 1522	Full release	
17	Email - P Yapp to B Mitchell - FW: ACT Education: Nube IO for LoRaWan CO2/temp sensor integration to local BMS with attachment: A: CO2 Solution	20211013 1539	Full release	

18	Email - P Yapp to B Mitchell; F Kidman - College Ventilation Upgrade Documents with attachments: A: IAQ008 College Ventilation Upgrades (13/10/21) B: PPM - College Building Management System and Ventilation Upgrades - Select Tender C: Project Plan for College Ventilation Upgrades - Draft V1	20211015 1227	Partial release	Schedule 2,2.2(a)(ii) Attachment C is not released as it is a duplicate of Attachment A to Record 16
19	Email - B Mitchell to P Yapp, K Flint - FW: Ventilation - WHOG Guidance with attachments: A: ACTPS COVID-19 WHS Resource Principles for Optimising Ventilation in ACT Workplaces B: ACTPS WHS COVID-19 Guidance Considerations Resource for Property Teams Ventilation in Workplaces (DRAFT)	20211015 1721	Full release	
20	Email - M Oldfield to XXXX - RE: Dyson Air Purifiers	20211022 1317	Partial release	Schedule 2,2.2(a)(ii) and (xi)

21	<p>Email - B Mitchell to C O'Connell; G Cusack – FW: Airius PureAir and Clean Air Company - Air Treatment Products with attachments:</p> <p>A: CAC and Airius Specsheel PHI.CML B: CAC and Airius Specsheel PKG C: CAC and Airius Specsheel HaloLED Whole Home D: CAC and Airius Specsheel HaloLED Total Indoor E: CAC and Airius Specsheel AvidAir F: CAC and Airius Specsheel Guardian QR G: CAC and Airius Specsheel HaloRove H: CAC and Airius Specsheel Minisplit</p>	20211027 0932	Full release	
22	<p>Email - B Mitchell to XXXX - Purchase order - immediate supply and delivery of 2 HRV with attachments:</p> <p>A: Purchase Order - HRV2Units Stiebel Eltron B: Quote - HRV2Units Stiebel Eltron C: EDU Purchase Order Terms and Conditions</p>	20211027 1643	Partial release	Schedule 2,2.2(a)(ii) and 2.2(a)(xi)

23	<p>Email - C Pilicic obo EDU EGMBG to P Steele and others - RE: FOR CLEARANCE: Select Committee Inquiry into the COVID-19 2021 Pandemic Response Hearing Briefs - 01.10 Ventilation in schools in response to COVID-19 with attachments:</p> <p>A: 01.10. Ventilation in Schools in response to COVID-19.tr5 B: FW: FOR ADVICE ASAP PLEASE: Select Committee Inquiry into the COVID-19 2021 Pandemic Response</p>	20211028 1735	Full release	
24	<p>Email - C Pilicic obo EDU EGMBG to ICW EBM Office - FW: FOR CLEARANCE: COVID-19 Hearing Preparation Session - Follow up/Actions - 01.10 Ventilation in Schools in response to COVID-19 with attachments:</p> <p>A: Final Briefs – Hearing – 4 November 2021.tr5 B: Ventilation in Schools in response to COVID-19.DOCX</p>	20211102 1701	Full release	
25	<p>Email – J Simmons to DDGEDUoffice - RE: FOR URGENT CLEARANCE: COVID-19 Hearing Preparation Session - Follow up/Actions – 01.10 Ventilation in Schools in response to COVID-19 with attachment:</p> <p>A: Committee Hearing Brief - Ventilation in Schools Talking Points</p>	20211102 1826	Partial release	Outside of scope

26	Question Time Brief – Ventilation in Schools	20211108	Full release	
27	Email – E Leechman obo ICW EBM Office to #EDU, Infrastructure and Capital Works Branch - Ventilation presentation with attachment: A: ICW Toolbox Ventilation.pdf	20211108 1543	Full release	
28	Email - XXXX to D Matthews - RE: Dyson Purifiers	20211108 1546	Partial release	Schedule 2,2.2(a)(ii) and 2.2(a)(xi)
29	Email - P Yapp to C Graham - FW: APPROVED: IAQ PPM HRV systems (Stiebel Eltron) with attachments: A: PPM - Stiebel Eltron Heat Recovery Ventilators Single Select B: Quotation 10158588 ACT Education Directorate Quote 2 C: IAQ-PO-HRV20Units-StiebelEltron-General_Terms_and_Conditions_for_Purchase_Orders D: IAQ-PO-HRV20Units-StiebelEltron	20211110 1611	Partial release	Schedule 2,2.2(a)(ii) and 2.2(a)(xi)

30	Email - D Matthews to EDU, EGMSG - FW: FOR CLEARANCE: FILE2021/5304 - MIN CORRO: CO2 monitoring in classrooms & transmission of Covid-19 among children - Payne Office with attachments: A: GOVERNMENT & STAKEHOLDER RELATIONS – Partnership & Collaboration – MIN CORRO CO2 monitoring in classrooms & Payne Office.tr5 B: COVID For Allocation CO2 monitoring in classrooms transmission of Covid-19 among children.msg C: FILE20215304 DOT POINTS CO2 monitoring in classrooms and funding for schools to reduce COVID transmission.DOTX	20211110 1801	Partial release	Schedule 2,2.2(a)(ii) Attachments A and B are not released as they are duplicates of information contained in the email.
31	Question Time Brief - Ventilation in Schools	20211117	Full release	
32	AIRAH COVID-19 Ventilation Optimisation Guide for Schools	20211117	Full release	
33	AETMOS – Data Driven Health – Real-time Air Quality Monitoring	20211122	Full release	
34	Kaiterra Sensedge Product Brochure	20211122	Full release	

35	<p>Email - D Matthews to EDU, EGMSG - FW: FOR CLEARANCE: FILE2021/5443 - DG CORRO: COVID-19 measures in schools - Jodie Griffiths-Cook (Children and Young People Commissioner) with attachments:</p> <p>A: GOVERNMENT & STAKEHOLDER RELATIONS – Partnerships & Collaboration – dg corro – Cook (Children and Young People Commissioner).tr5</p> <p>B: FOR ACTION: FILE2021/5443 - DG CORRO: COVID-19 measures in schools - Jodie Griffiths-Cook (Children and Young People Commissioner).msg</p> <p>C: 20211108-DG Education correspondence from CYPC.PDF</p> <p>D: FILE20215443 DG LETTER COVID-19 measures & HEPA filters in schools Griffiths-Cook.DOTX</p>	20211123 0853	Partial release	<p>Schedule 2,2.2(a)(ii)</p> <p>Attachments are not released as they are duplicates of information contained in the email, and the signed response is provided as Record 36.</p>
36	Letter – K Haire to J Griffiths-Cook	20211124	Partial release	Schedule 2,2.2(a)(ii)
37	<p>Email - C Pilicic obo EDU EGMSG to EDUCOVID - CLEARED: BSG Input - EDU Sit Rep 88 - Term 4 03122021 with attachment:</p> <p>A: EDU Sit Rep 88 – Term 4 03122021 (1).docx</p>	20211203 1049	Partial release	Outside of scope

38	Email - D Matthews to EDU EGMBBSG - FW: FOR CLEARANCE: REQUEST FOR DOT POINTS - DG Meeting with P&C - Item 9 - School Ventilation and Preparation for Summer with attachment: A: Item 9. School Ventilation and Preparation for Summer. DOCX	20211207 0910	Full release	
39	Email - D Matthews to EDU, EGMBBSG - FW: FOR CLEARANCE: SUB21/7885 - Air quality in ACT schools – XXXX with attachments: A: Air quality in ACT schools – XXXX tr5 B: COVID For Allocation: Contact my Minister - Correspondence: XXXX .msg C: SUB217885 Air quality in schools XXXX DOTX	20211210 0910	Partial release	Schedule 2,2.2(a)(ii)
40	Email - P Yapp to XXXX – IAQ 21-22/226 - SterileZone fans – RE: Quote no 20351 with attachments: A: IAQ-PO-All School SterileZone UVC Purifiers B: IAQ - General_Terms_and_Conditions_for_Purchase_Orders	20220120 1048	Partial release	Schedule 2,2.2(a)(ii) and 2.2(a)(xi)
41	Email – D Matthews to B Sloane and others - RE: Media enquiry about school ventilation	20220120 1332	Partial release	Schedule 2,2.2(a)(ii) and outside of scope
42	Email - B Mitchell to P Yapp - IAQ Update	20220120 1738	Full release	

43	Email - B Mitchell to XXXX (Laftech) - FW: Quote LAFN220114 ACT Government Beth Mitchell UV-FAN Air Disinfection Units with attachments: A: Purchase Order Terms and Conditions B: EDU Purchase Order - IAQ - LAF Technologies Pty Ltd C: QTE - Laftech UV-Fans Air Disinfection Units	20220121 1327	Partial release	Schedule 2,2.2(a)(ii) and 2.2(a)(xi)
44	Email - D Matthews to J Simmons and others - FW: Ventilation /XXXX TP with AP edits with attachment: A: Dot Points – Back to School Budget TPs – AP edit.docx	20220123 1323	Partial release	Outside of scope
45	Email - D Matthews to K Haire; M Walker - RE: For Advice Please: Request from Minister for update on Return to School budget announcements with attachment: A: Dot Points – Back to School Budget TPs – AP edit.docx	20220123 1604	Partial release	Outside of scope
46	Email - P Steele to A Parkinson; L Larkin - RE: Ventilation/XXXX TP with AP edits with attachment: A: Dot Points – Back to School Budget TPs – AP edit.docx	20220123 1904	Partial release	Outside of scope

47	Email - P Steele to Education DLO and others - RE: URGENT: FOR ACTION: Due COB today - request from Minister for update on Return to School budget announcements with attachment: A: Dot Points – Back to School Budget TPs – PS.docx	20220124 1034	Partial release	Outside of scope
48	Email - D Matthews to B Sloane - RE: FOR APPROVAL: Follow up questions	20220124 1630	Partial release	Schedule 2,2.2(a)(ii) and outside of scope
49	Email - CFO EDU Office to EDU EGMB SG - FOR CLEARANCE: COVID-19 finance report for December 2021 with attachment: A: ITEM 5 COVID-19 Finance Report Dec 2021.docx	20220125 1116	Non-release	Schedule 1, 1.6 and outside of scope
50	Email - D Matthews to EDU EGMB SG - FW: FOR CLEARANCE: Assembly Briefs (Sitting Period 8-10 February 2022) - 10. Ventilation in Schools in response to COVID-19 with attachment: A: 10. Ventilation in Schools in response to COVID-19.tr5	20220128 1535	Partial release	Outside of scope
51	Question Time Brief - 10. Ventilation in Schools	20220128	Full release	

52	<p>Email - B Mitchell to C Graham; P Yapp - FW: PureAir Fans in ACT Schools – Promotion with attachments:</p> <p>A: CAC_Spec Sheet_REME-ION_DIGITAL B: CAC_brochure_withQR_SCHOOLS_01 C: CAC_SpecSheet_HaloRove_DIGITAL_2021 D: CAC_SpecSheet_MiniSplit v3_DIGITAL_2021 E: CAC_SpecSheet_REME Halo LED_DIGITAL_2021</p>	20220203 1313	Partial release	Attachments C, D and E are not released as they are duplicates of the attachments to Record 21
53	<p>Email - D Matthews to EDU, EGMSG - FW: FOR CLEARANCE: FILE2022/404 - MIN CORRO: Air Quality in Schools and shade sails – XXXX with attachments:</p> <p>A: GOVERNMENT & STAKEHOLDER RELATIONS – Partnerships & Collaborations – MIN CORRO – Air Quality in Schools and Shade Sails – XXXX B: FILE2022404 LETTER Indoor air quality & shade sails in schools XXXX C: FOR ACTION: FILE2022/404 - MIN CORRO: Air Quality in Schools and shade sails - XXXX</p>	20220207 1457	Partial release	Schedule 2,2.2(a)(ii)

54	<p>Email - D Matthews to EDU, EGMSG - FW: FOR CLEARANCE: FILE2022/398 MIN CORRO - School ventilation plans - XXXX with attachments:</p> <p>A: GOVERNMENT & STAKEHOLDER RELATIONS – Customer Service – MIN CORRO School ventilation plans – XXXX</p> <p>B: FILE2022398 LETTER School ventilation plans XXXX</p> <p>C: FOR ACTION: MIN CORRO - School ventilation plans - XXXX</p>	20220207 1458	Partial release	Schedule 2,2.2(a)(ii)
55	<p>Email - C Martinez obo EDU EGMSG to CFO EDU Office - FW: For Clearance: EDU Finance Report for December 2021 with attachment:</p> <p>A: Combine EDU Finance Report January 2022.pdf</p>	20220215 1219	Non-release	Schedule 1, 1.6 and outside of scope
56	<p>Email - D Matthews to EDU, EGMSG - FW: FOR APPROVAL: 2020-21 Annual Report Hearing Briefs (Business Services) 2.10 Additional funding for response to COVID-19 with attachment:</p> <p>A: 02.10. Additional funding for response to COVID-19.tr5</p>	20220218 0859	Non-release	Schedule 1,1.6 and outside of scope

57	Email - C Martinez obo EDU EGMB SG to EDU Cabinet Liaison Officer - FW: EGMB SG CLEARED - 2020-21 Annual Report Hearing Briefs (Business Services) 2.9 - Ventilation in Schools in response to COVID-19 with attachment: A: Business Services.tr5 B: 02.9. Ventilation in Schools in response to COVID-19.DOCX	20220218 0900	Partial release	Outside of scope
58	Email - C Pilicic obo EDU EGMB SG to D Matthews - FW: REC22 19406 02.08. Additional funding for response to COVID-19 - UPDATED 22 02 2022 EM with attachment: A: Ministerial Brief – 2022-23 Better Infrastructure Fund (BIF) Program	20220225 1128	Non-release	Schedule 1, 1.6
59	Email – A Parkinson to S Seton - Re: Ventilation	20220225 1134	Full release	
60	Email - D Matthews to EDU, EGMB SG - FW: FOR APPROVAL: Assembly Briefs (Sitting Period 22-24 March 2022) - Additional funding for response to COVID-19 with attachments: A: 08. Additional funding for response to COVID-19.tr5 B: 08. Additional funding for response to COVID-19.DOCX	20220314 1027	Partial release	Outside of scope
61	Question Time Brief - Ventilation in Schools	20220315	Full release	

62	Email - P Yapp to G Cusack - UVC Lights and COVID-19	20220316 1002	Full release	
63	IAQ-Work Plan-Framework (DRAFT Working Document)	20220317	Full release	
64	Email - ACTPG to B Mitchell; P Yapp – FW: UVC emitter tech data and MSDS with attachments: A: Covid-19 - Airborne Inactivation using Sterile-Aire UVC Solutions B: MSDS - Sterile-Aire Germicidal Emitters 2016 C: Steril-Aire Maintenance 2022 D: Steril-Aire Emitter 2-Year Service Life	20220317 1150	Partial release	Schedule 2,2.2(a)(ii)
65	Email – K McMahon to S Seton and others - FW: FOR NOTING: COVID Management Framework and CMT Update with attachment: A: Winter Preparation – EDU Overview	20220323 1557	Partial release	Outside of scope
66	Email – XXXX to P Yapp – RE: IAQ - Review of Education Directorate Indoor Air Quality Framework and Plans for Winter Operation with attachment: A: CR220722 Review of Education Directorate IAQ Framework.pdf	20220325 1206	Partial release	Schedule 2,2.2(a)(ii)

67	Email - K Haire to J Simmons; D Matthews - FW: Ventilation Web Site Advice with attachments: A: Web page content ventilation v2 VJ (A33258387) RW (002) WSIR comments Health review.docx B: Web page content ventilation v2 (clear).docx	20220328 1121	Partial release	Attachments are not released as the information is publicly available at: https://www.covid19.act.gov.au/stay-safe-and-healthy/covid19-guidance-on-ventilation
68	Email - C Martinez obo EDU EGMBSG to EDU Cabinet Liaison Officer - FW: FOR CLEARANCE: Assembly Briefs (Sitting Period 5-7 April 2022) - Urgent updates only with attachments: A: 08. Additional funding for response to COVID-19.tr5 B: 03. 5-7 April 2022.tr5 C: 08. Additional funding for response to COVID-19.DOCX	20220401 1137	Partial release	Outside of scope Attachment A is not released as the final is provided at Attachment C Attachment B is not released as it is outside of scope
69	Email - C Graham to CMTEDD ACTPG HVAC Services – FW: IAQ - Trial winter operation CO2 sensors	20220406 1430	Partial release	Schedule 2,2.2(a)(ii)
70	Email – CMTEDD ACTPG HVAC Services to Capital Boilers - IAQ - Trial winter operation CO2 sensors	20220406 1506	Partial release	Schedule 2,2.2(a)(ii)
71	2020_AIRAH_COVID-19_Guidance_for_School_Buildings	20220408	Full release	
72	Education Victoria Ventilation Guidance	20220408	Full release	

73	Email - A Parkinson to P Yapp; K Flint; J Ryan - OzSage document with attachment: A: OZSAGE Protecting Children from Covid-19 and making schools and childcare safer	20220412 0930	Partial release	Attachment is not released as it is provided at Record 13
74	Email – K Christensen to EDU, EGMBSG; D Matthews - For clearance by noon 14 April 2022: Finance subcommittee papers with attachments: A: EDU Finance Report March 2022.pdf B: COVID-19 Finance Report March 2022.pdf C: XXXX D: XXXX E: XXXX	20220413 0959	Non-release	Schedule 1, 1.6 and outside of scope
75	Email - K Elton to J Simmons - FW: IAQ Winter Plans with attachment: A: FOR APPROVAL – IAQ Winter Window Operation Fact Sheet v1.2.docx	20220413 1738	Partial release	Outside of scope
76	Email – CMTEDD ACTPG HVAC Services to C Graham – FW: Ventilation Strategies for Schools Indoor Air Quality (IAQ) with attachment: A: ECTLO422-004 Ventilation Strategies for IAQ	20220414 0748	Partial release	Schedule 2,2.2(a)(ii)

77	Email - C Martinez obo EDU EGMBBSG to V Attridge - FW: FOR CLEARANCE - Assembly Briefs for Sitting Period 3-5 May 2022 (BSG) with attachment: A: QTB Ventilation in Schools in response to COVID-19 May 22	20220426 1647	Partial release	Outside of scope
78	Email - T Le to K Haire; V Attridge - RE: STATUS UPDATE Budget 2022-23	20220504 1107	Non-release	Schedule 1, 1.6 and outside of scope
79	Email - HEVAC to P Yapp - RE: CO2 monitors bulk purchase with attachment: A: H8CO2rev2 Monitor Box B: Original H8 Factory leaflet	20220504 1414	Partial release	Schedule 2,2.2(a)(ii)
80	Factsheet - Indoor Air Quality Winter Ventilation	20220505	Full release	
81	Email - P Yapp to A Parkinson; J Ryan - RE: CO2 monitors bulk purchase with attachment: A: Email - Re: Giralang Primary School - IOT POC 25/1/22 1515	20220505 0950	Partial release	Schedule 2,2.2(a)(ii)
82	Email - A Parkinson to P Yapp; J Ryan - Re: CO2 monitors bulk purchase with attachment: A: PPM - CO2 Monitor Bulk Purchase Single Select	20220510 1416	Partial release	Schedule 2,2.2(a)(ii)

83	Email - E Stewart to XXXX - LETTER Response Air purification units in ACT public schools with attachment: A: Letter Response - ICW EBM Letter XXXX - Air Purification in ACT Public School	20200513 1103	Partial release	Schedule 2,2.2(a)(ii)
84	Email – K Dunn to DDGO – FW: Urgent request from MO with attachment: A: Factsheet IAG Winter Ventilation	20220516 1738	Full release	
85	Email - C Martinez obo EDU EGMBMSG to D Matthews - FW: FOR CLEARANCE/SIGNATURE: RETURNED FROM MO - FILE2022/404 - Air Quality in Schools and Shade Sails - XXXX with attachments: A: GOVERNMENT & STAKEHOLDER RELATIONS – Partnerships & Collaboration – MIN CORRO – Air Quality in Schools and Shade Sails – XXXX – 2022.tr5 B: FOR ACTION: FILE2022/404 - MIN CORRO : Air Quality in Schools and shade sails - XXXX C: EDU RESPONSE FILE2022 404.DOCX	20220519 1212	Partial release	Schedule 2,2.2(a)(ii)

86	Email - P Steele obo EDU, EGMSG to D Matthews - FW: FOR CLEARANCE: RETURNED FROM MO - FILE2022/398 - School Ventilation Plans – XXXX with attachments: A: GOVERNMENT & STAKEHOLDER RELATIONS – Customer Service – MIN CORRO – School Ventilation Plans – XXXX 2022.tr5 B: FOR ACTION: MIN CORRO - School ventilation plans – XXXX msg C: EDU RESPONSE FILE2022 398.DOCX	20220523 1644	Partial release	Schedule 2,2.2(a)(ii)
87	Question Time Brief - Ventilation in Schools	20220526	Full release	
88	Email - D Matthews to EDU, EGMSG - FW: FOR CLEARANCE: FOR ACTION: Assembly Briefs for Sitting Period 1-2 and 7-9 June 2022 (double sitting week) – BSD with attachments: A: 05. 1-2 and 7-9 June 2022.tr5 B: XXXX C: 09. Ventilation in Schools in response to COVID-19.DOCX	20220526 1705	Partial release	Schedule 2,2.2(a)(ii) Attachment B is not released as it is outside of scope
89	CO2 Monitor Operation (Final)	20220610	Full release	

90	Email - C Martinez obo EDU EGMBSG to D Matthews - FW: UPDATED FOR CLEARANCE: SUB22/7803 - Dickson College addressing ventilation concerns with attachments: A: Ventilation Concerns – motion.tr5 B: SUB227803 EGMBS LETTER Dickson College ventilation concerns AEU.DOTX	20220620 1157	Partial release	Schedule 2,2.2(a)(ii)
91	Email - D Matthews to XXXX - RE: Letter from Minister Berry	20220629 1454	Partial release	Schedule 2,2.2(a)(ii) and outside of scope
92	Email - P Yapp to XXXX - RE: CO2 monitor purchase with attachment: A: EDU Purchase Order - IAQ 21-22.391 - HEVAC Control Agencies PTY LTD	20220629 1950	Partial release	Schedule 2,2.2(a)(ii) and 2.2(a)(xi)
93	Email - P Steele obo EDU EGMBSG to D Matthews - FOR CLEARANCE: Minister Brief 22-23 COVID with attachments: A: Minister Brief 22-23 COVID -CFO Cleared.docx B: RE: For Review Minister Brief 22-23 COVID.msg	20220630 1547	Partial release	Schedule 1, 1.6, 2,2.2(a)(ii) and outside of scope
94	Email - C Graham to P Yapp, IAQ – XXXX certified CO2 monitor	20220705 1243	Partial release	Schedule 2,2.2(a)(ii) and 2.2(a)(xi)

95	Email - I Turnbull to D Matthews - FW: FILE2022-7641 COVID costs with attachment: A: REC22 138107 Minister Brief – COVID costs for 22-23.docx	20220711 1421	Non-release	Schedule 1,1.6 and outside of scope
96	Tracking Spreadsheet for 21-22 R&M HVAC Programs (IAQ SHEET ONLY)	20220718	Full release	